

FIFRA Section 24(c) Special Local Need Label  
FOR USE AND DISTRIBUTION ONLY WITHIN THE STATE OF SOUTH  
DAKOTA

TIAFENACIL	GROUP	14	HERBICIDE
------------	-------	----	-----------

# REVITON

A nonselective burndown herbicide with the active ingredient TERGEO™

## Reduced Plant Back Interval for Sorghum in the State of South Dakota

**ACTIVE INGREDIENT:**

Tiafenacil\* ..... 30.0%

**OTHER INGREDIENTS:** ..... 70.0%

**TOTAL:** ..... 100.0%

\*methyl N-[2-[[2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluorophenyl]thio]-1-oxopropyl]-β-alaninate

Reviton is formulated as a suspension concentrate (SC) and contains 2.83 pounds of active ingredient per gallon of formulated product (339 grams per liter).

EPA Reg. No. 71512-37-74530

Expiration: December 31, 2027

SLN No. SD-240001

## KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)

This label is valid until December 31, 2027 or until otherwise amended, withdrawn, cancelled or suspended.

**SEE LABEL BOOKLET FOR FIRST AID, ADDITIONAL PRECAUTIONARY STATEMENTS AND  
DIRECTIONS FOR USE INCLUDING STORAGE AND DISPOSAL**

**READ ENTIRE LABEL CAREFULLY AND USE ONLY AS DIRECTED.**

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

This label must be in the possession of the user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE PRODUCT LABEL BOOKLET MUST BE FOLLOWED, INCLUDING STATEMENTS PERTAINING TO THE WORKER PROTECTION STANDARDS, ON THE EPA REGISTERED LABEL. BEFORE USING REVITON AS PERMITTED ACCORDING TO THIS SUPPLEMENTAL LABEL, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL AND THE ATTACHED PESTICIDE PRODUCT CONTAINER.

## PRODUCT USES & APPLICATION INSTRUCTIONS:

This SLN Label for **Reviton** is registered to reduce the **Plant Back Interval (PBI)** in Grain Sorghum.

### Rotational Crop Information:

The following table indicates the interval between application of Reviton and planting of rotational crops or replanting after crop failures for Grain Sorghum. In case of tank mix, use the most restrictive interval of all products applied.

Crop	Reviton	
	1 fl oz/A	2 fl oz/A
	Rotational Crop Interval Days after Application	
Grain Sorghum	3	7

### RESTRICTIONS:

- DO NOT apply this product to residential areas.
- DO NOT apply this product through any type of irrigation system.
- For any combination of cropping systems, DO NOT apply more than a maximum cumulative amount of 10 fl oz (0.223 lb. ai per acre per year).
- A 25 foot buffer for ground applications and a 150 foot buffer for aerial applications must be maintained between the point of direct application and the closest downwind edge of sensitive terrestrial habitats (including grasslands, forested areas, shelter belts, woodlots, hedgerows, riparian areas, shrub lands, crop lands), semi-aquatic, and estuarine/marine habitats.

### NOTICE

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

(RV021224)

Manufactured for:



HELM Agro US, Inc.  
401 E. Jackson St., Suite 1400  
Tampa, FL 33602  
[Phone: 813-621-8846](tel:813-621-8846)