



<b>FIFRA 2(ee) Recommendation</b>
<b>EPA Reg. No. 71512-37-74530</b>
<b>FOR DISTRIBUTION AND USE ONLY IN THE FOLLOWING STATES: TENNESSEE, MISSOURI, ARKANSAS, MISSISSIPPI, LOUISIANA, GEORGIA, ALABAMA, SOUTH CAROLINA, NORTH CAROLINA, VIRGINIA</b>
<b>THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.</b>

This recommendation for Reviton herbicide is valid until December 31, 2027 or until withdrawn, cancelled, or suspended, whichever comes first.

## SECOND AND/OR THIRD APPLICATION IN COTTON FOR DEFOLIATION TO CONTROL COTTON REGROWTH

<b>IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.</b>
---

<b>THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.</b>
---

CROP	APPLICATION	REVITON RATE OF APPLICATION
Cotton	Defoliation	0.75-1.25 fl oz/A

**DIRECTION FOR USE:**

- Always use an adjuvant (use type and rate recommended by local consultants or state extension specialists). MSO 1% v/v will likely provide best results.
- Aerial applications should be applied with a minimum of 3 to 5 gallons per acre.
- Ground applications should be applied with a minimum of 10 to 15 gallons per acre.
- Apply above recommended rate of Reviton to cotton for defoliation to control cotton regrowth.

**RESTRICTIONS:**

- Do not apply Reviton at a rate greater than 3 fl oz (0.067 lbs ai) per acre.
- Do not exceed 6 fl oz (0.134 lbs ai) per acre per year.
- Follow all plantback intervals listed on the Reviton label.
- Must observe a minimum of a 7-day retreatment interval.
- Must observe a minimum of a 3-day preharvest interval (PHI).
- Do not allow livestock to graze for 21 days after application.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED REVITON LABEL MUST BE FOLLOWED.

THIS 2(ee) RECOMMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

(RV061223)

**HELM Agro US, Inc.**  
401 E. Jackson St., Suite 1400  
Tampa, FL 33602  
Phone: 813.621.8846  
Fax: 813.621.0763  
[info@helmagro.com](mailto:info@helmagro.com) [helmagro.com](http://helmagro.com)